

# Lab 06 - Android Flow

Software Studio - 2022 Spring

In coroutines, a `flow` is a type that can **emit multiple values sequentially**, as opposed to suspend functions that return only a single value.

A flow is very similar to an Iterator that produces a sequence of values, but it uses `suspend` functions to produce and consume values **asynchronously**.

This means, for example, that the flow can safely make a network request to produce the next value **without blocking the main thread**.

# Explain why we use Flow

There is a developer called Pancho.




Pancho


# Explain why we use Flow



# Explain why we use Flow




# Explain why we use Flow




## Without Flow

- You can do it with lots of `suspend` functions.
- However, after doing that for a while, it takes a lot of time for developers to invest in the infrastructures.




## With Flow

- Instead of requesting data, we **observe** it.
- Observing it like installing tubes for water.
- **Any updates to the source data will flow down to the view automatically**, you don't have to walk to the lake!!






# Without Flow



# With Flow



# Kotlin Flow<T>

Producers **emits** data to the flow.

- Data Sources or Repositories

Consumers **collects** data from the flow.


- UI layer



## Creating Flows

- Most of the times, you don't need to create a flow. The libraries in your data sources are already integrated with coroutines and flows.

You don't need to create  
Flows most of the time



## Room DAO

The `Room` library acts as a producer and **emit** the content of the query every time.

```
@Dao
interface ScheduleDao {

    @Query("SELECT * FROM schedule ORDER BY arrival_time ASC")
    fun getAll(): Flow<List<Schedule>>
}
```

# Creating Flows By Yourself!!

```
import kotlinx.coroutines.flow.*
import kotlinx.coroutines.runBlocking
import kotlinx.coroutines.delay

fun getSequence(): Flow<Int> = flow {
    for (i in 1..3) {
        delay(1000)
        emit(i)
    }
}

fun main() = runBlocking {
    getSequence()
        .collect { value ->
            println(value)
        }
}
```

## Creating Flows By Yourself!!

`flow()` is a flow builder. It would create a `Flow<T>`.

`emit()` send the result into flow. And we know that flow can emit multiple times and values.

`collect()` receive the values from `emit()`. Every time `emit()` is called, the block in `collect()` will be executed.



# Flow Builder

1. `flow()`
2. `asFlow()`
3. `flowOf()`
4. ...

## flow()

```
fun <T> flow(  
    block: suspend FlowCollector<T>.(()) -> Unit  
): Flow<T>
```

It creates a **cold flow**.

The flow being *cold* means that the block is called every time a terminal operator is applied to the resulting flow.


## Example of `flow()`

```
fun getSequence(): Flow<Int> = flow {
    for (i in 1..3) {
        delay(100)
        println("Emit $i")
        emit(i)
    }
}

fun main() = runBlocking {
    val f = getSequence()
    println("Start to collect")
    f.collect { value ->
        delay(1000)
        println("Collected $value")
    }
}
```

## Result of `flow()`

```
Start to collect  
Emit 1  
Collected 1  
Emit 2  
Collected 2  
Emit 3  
Collected 3
```



## asFlow()

```
fun IntRange.asFlow(): Flow<Int>
```

Creates a flow that produces values from the range.

## Example of `asFlow()`

```
fun main() = runBlocking {  
    val f = (1..3).asFlow()  
    println("1. Start to collect")  
    f.collect { value ->  
        println("Collected $value")  
    }  
    println("2. Start to collect")  
    f.collect { value ->  
        println("Collected $value")  
    }  
}
```

## Result of `asFlow()`

1. Start to collect

Collected 1

Collected 2

Collected 3

2. Start to collect

Collected 1

Collected 2

Collected 3



## flowOf()

```
fun <T> flowOf(vararg elements: T): Flow<T>
```

Creates a flow that produces values from the specified **vararg** -arguments.

## Example of `flowOf()`

```
fun main() = runBlocking {
    val f = flowOf(1, 2, 3)
    println("1. Start to collect")
    f.collect { value ->
        println("Collected $value")
    }
    println("2. Start to collect")
    f.collect { value ->
        println("Collected $value")
    }
}
```

## Result of `flowOf()`

```
1. Start to collect  
Collected 1  
Collected 2  
Collected 3  
2. Start to collect  
Collected 1  
Collected 2  
Collected 3
```

# Operators

Flow is sequential.

Before calling `collect()`, we can use different function operators to deal with or transform the value in flow.

## map()

```
fun main() = runBlocking {  
    (1..3).asFlow()  
        .map { "Hello $it" }  
        .collect { println(it) }  
}
```

Result :

```
Hello 1  
Hello 2  
Hello 3
```

## filter()

```
fun main() = runBlocking {  
    (1..10).asFlow()  
        .filter { it % 2 == 0 }  
        .collect { println(it) }  
}
```

Result :

```
2  
4  
6  
8  
10
```

## transform()


`transform()` is a flexible function that may transform emitted element, skip it or emit it multiple times.

```
fun main() = runBlocking {
    (1..10).asFlow()
        .transform {
            if (it % 2 == 0) {
                emit(it)
                emit(it)
            }
        }
        .collect { println(it) }
}
```

# Advanced example

## Flow builder

```
class UserMessagesDataSource(  
    private val messagesApi: MessagesApi,  
    private val refreshIntervalMs: Long = 5000  
) {  
    val latestMessages: Flow<List<Message>> = flow {  
        while(true) {  
            val userMessages = messagesApi.fetchLatestMessages()  
            emit(userMessages) // Emits the result to the flow  
            delay(refreshIntervalMs) // 🕒 Suspends for some time  
        }  
    }  
}
```





# Advanced example

## Flow builder

```
class UserMessagesDataSource(  
    private val messagesApi: MessagesApi,  
    private val refreshIntervalMs: Long = 5000  
) {  
    val latestMessages: Flow<List<Message>> = flow {  
        while(true) {  
            val userMessages = messagesApi.fetchLatestMessages()  
            emit(userMessages) // Emits the result to the flow  
            delay(refreshIntervalMs) // 🕒 Suspends for some time  
        }  
    }  
}
```

*Producer block*



# Advanced example

## Original flow

```
val userMessages: Flow<MessagesUiModel> =  
    userMessagesDataSource.latestMessages
```



# Advanced example

## Flow.map

```
val userMessages: Flow<MessagesUiModel> =  
    userMessagesDataSource.latestMessages  
        .map { userMessages ->  
            userMessages.toUiModel()  
        }
```



# Advanced example

## Flow.filter

```
val importantUserMessages: Flow<MessagesUiModel> =  
    userMessagesDataSource.latestMessages  
        .map { userMessages ->  
            userMessages.toUiModel()  
        }  
        .filter { messagesUiModel ->  
            messagesUiModel.containsImportantNotifications()  
        }
```



# Advanced example

## Flow.catch


```
val importantUserMessages: Flow<MessagesUiModel> =  
    userMessagesDataSource.latestMessages  
        .map { userMessages ->  
            userMessages.toUiModel()  
        }  
        .filter { messagesUiModel ->  
            messagesUiModel.containsImportantNotifications()  
        }  
        .catch { e ->  
            analytics.log("Error loading reserved event")  
        }
```



# Advanced example

## Flow.collect

```
→ userMessages.collect { messages ->  
    listAdapter.submitList(messages)  
}
```



*Update list*



## Reference

[Kotlin flows on Android](#)

[Asynchronous Flow](#)

[Kotlin Coroutine Flow](#)